

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname	_		_
Forename(s)			
Candidate signature			

GCSE COMBINED SCIENCE: TRILOGY



Higher Tier Biology Paper 2H

Friday 7 June 2019 Afternoon Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.


Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
TOTAL		

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.





Some students investigated the effect of drinking caffeine on reaction time.		
They used a drink containing 32.25 mg of caffeine per 100 cm ³		
This is the method used.		
1. Divide the students into four groups, A , B , C and D .		
2. Measure and record the reaction time of each student using the ruler-drop test.		
 3. Students in: group A drink 200 cm³ of water group B drink 200 cm³ of the caffeine drink group C drink 400 cm³ of the caffeine drink group D drink 600 cm³ of the caffeine drink. 		
4. Repeat step 2 after 15 minutes.		
Describe how to do the ruler-drop test. [3 marks]		
_		
Question 1 continues on the next page		



0 1.2 Table 1 shows the mass of caffeine taken in by each student.

Table 1

Group	Mass of caffeine in mg
A	0
В	64.5
С	129.0
D	x

		D		X	
	Calculate value X .				[1 mark]
			x	(=	mg
0 1.3	Why did group A drin	nk water ins			[1 mark]



Table 2 was used to convert the results of the ruler-drop test into reaction times.

Table 2

Distance in cm	Reaction time in s
2	0.064
4	0.090
6	0.111
8	0.128
10	0.143
12	0.156
14	0.169
16	0.181
18	0.192
20	0.202
22	0.212
24	0.221
26	0.230

Distance in cm	Reaction time in s
28	0.239
30	0.247
32	0.256
34	0.263
36	0.271
38	0.278
40	0.286
42	0.293
44	0.300
46	0.306
48	0.313
50	0.319
52	0.326


0 1.4	Estimate the reaction time for a student who recorded a distance of 23 cm	[1 mark]
	Reaction time =	s

Question 1 continues on the next page

Students calculated the decrease in their reaction time after the drink compared with before the drink.

Figure 1 shows the results for each student.





0 1 . 5	Describe the effect of the mass of caffeine taken in on the decrease in reaction time. [1 mark]
	[1 mark]



0 1.6	For three students the decrease in reaction time was negative.	Do not outsid bo
	Give the reason why the value was negative. [1 mark]	
0 1.7	What is the range of results for group C? [1 mark]	
0 1.8	Suggest two variables that should have been controlled in this investigation. [2 marks]	
	2	
0 1.9	Explain why the ruler-drop test does not involve a reflex action. [2 marks]	
	Turn over for the next question	13



0 2	There has been a rapid increase in the percentage of carbon dioxide in the atmosphere since 1960.	
0 2 . 1	Carbon dioxide is a greenhouse gas that contributes to global warming.	
	Name one other greenhouse gas.	
		[1 mark]
0 2 . 2	Global warming causes climate change.	
0 2 . 2	Give two effects of climate change.	
	Give two effects of climate change.	[2 marks]
	1	
	2	
	Question 2 continues on page 10	



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED


Turn over ▶



0 2 . 3 Plants take in carbon dioxide from the atmosphere.

Figure 2 shows part of the carbon cycle.

Figure 2



Describe how carbon from the atmosphere is cycled through living organisms.

[6 marks]



	Do not write outside the
	box
	9
Turn over for the next question	
·	



0 3.1	Vectors are used in the process of genetic engineering.
	Which two statements are correct? [2 marks]
	Tick (✓) two boxes.
	Vectors are enzymes used to 'cut open' the DNA molecule.
	Vectors are used to insert genes into cells.
	Vectors are used to isolate the required gene.
	Vectors are used to stimulate cell division.
	Vectors are usually plasmids or viruses.
0 3.2	Scientists have genetically engineered a variety of wheat to be resistant to herbicides. The herbicide resistant variety of wheat will give a higher yield than the non-herbicide resistant variety.
	Explain why. [3 marks]



0 3.3	Give two examples of genetic engineering in use today.	01
	Do not refer to herbicide resistance in your answer. [2 marks]	
	1	
	2	
0 3.4	Scientists working on the 'Human Genome Project' have now mapped the entire genetic code of humans.	
	Explain one way this could be important for people in the future. [2 marks]	
		_

Turn over for the next question



0 4

Animals have adaptations to survive in their environment.

These adaptations may be structural, behavioural or functional.

0 4 .

Draw one line from each animal adaptation to the type of adaptation it is.

[2 marks]

Animal adaptation



Male palm cockatoos use sticks to beat on hollow branches to attract females.



The harmless hornet moth has black and yellow stripes to look like a bee or wasp.



Sea spiders have automatic muscle contractions that move oxygen around their bodies.

Type of adaptation

Structural

Behavioural

Functional



	Plants also have adaptations.	
	There are more than 28 000 known species of orchid plants.	
0 4 . 2	Many orchid plants:	
	 grow attached to other types of plants have brightly coloured flowers produce large quantities of pollen produce thousands of tiny, light seeds. 	
	Describe how these adaptations help orchid plants to survive and compete. [4 marks]	
	Question 4 continues on the next page	



	A rare orchid has been found in the mountains in China.
	The orchid has pale yellow flowers.
	DNA analysis of the genome shows that it is an ancestral species.
	All other present day orchids evolved from this ancestral species millions of years ago.
0 4.3	One present day species has bright purple flowers.
	Describe how an orchid with bright purple flowers may have evolved from the ancestral species which has pale yellow flowers. [4 marks]



Dο	not	V	vrite
ou	tside	9	the
	ha	.,	

The DNA code determines the sequence of amino acids which are joined together to form a specific protein.

Table 3 shows part of the amino acid sequence for the colour pigment protein in five orchid species.

The rest of the amino acid sequence is the same for all the species.

Table 3

Species	Amino acid sequence	Flower colour	
Ancestral species	ala-leu-gly-isoleu-tyr-gly-ala-leu-gly-ala	pale yellow	
Species A	ala-isoleu-gly-ala-tyr-gly-ala-tyr-gly-ala	pale yellow	
Species B	ala-leu-ala-isoleu-tyr-gly-ala-tyr-gly-ala	pink	
Species C	ala-isoleu-gly-ala-gly-tyr-gly-leu-gly-ala	bright red	
Species D	ala-leu-gly-isoleu-tyr-tyr-ala-leu-gly-ala	purple	

ĸ	Δ	1	•
1.	C	y	•

ala = alanine gly = glycine

isoleu = isoleucine

leu = leucine

tyr = tyrosine

Suggest which orchid species is most closely related to the ancestral species.


Give a reason for your answer.

[2 marks]

12

Species			
Reason			

Turn over for the next question





0 5	Some students estimated the population of daisies in a school field.
	This is the method used.
	 Find a place where some daisies are growing. Put the quadrat down. Count and record the number of daisies in the quadrat. Repeat steps 1–3 at four different places in the field. Calculate the mean number of daisies per quadrat. Use the data to estimate the total number of daisies in the field.
0 5 . 1	Which two improvements would increase the validity of this method?
	Tick (✓) two boxes. [2 marks]
	Do not put any quadrats near trees.
	Repeat for another ten quadrats.
	Use a long tape measure.
	Use a random method to place the quadrats.
	Use the same person to place all the quadrats.
	Question 5 continues on the next page




0 5 . 2

With an improved method the students calculated the mean number of daisy plants to be 7.65 per quadrat.

The students used a quadrat measuring 50 cm × 50 cm

Figure 3 shows the school site and the dimensions of the school field.

Figure 3





Give your answer in standard form to 2 significant figures.	
, c c	[4
Dopulation of dainy plants -	
Population of daisy plants =	
Question 5 continues on the next page	





5.3	The students noticed a very uneven distribution of daisy plants in the field.
	Explain how different biotic factors and abiotic factors could have caused an uneven distribution of daisy plants.
	Use Figure 3 on page 20.
	[6 marks]



0 6	This question is about homeostasis.	
0 6.1	Define the term homeostasis.	[2 marks]
0 6.2	Name the hormone released if the blood glucose concentration falls too low.	[1 mark]
	Question 6 continues on the next page	

Turn over ▶




Two people were sent to a hospital to find out if they have diabetes.

This is the method used at the hospital.

- Do not eat or drink after midnight. This is called fasting.
- Measure blood glucose concentration at 9.30 am
- Drink a glucose solution at 10.00 am
- Measure blood glucose concentration for the next 3 hours.

Figure 4 shows the results.

Figure 4



Time



	25	
	Person A and person B have diabetes.	Do not write outside the box
0 6.3	Describe how Figure 4 shows that person B has diabetes.	
	Use data from Figure 4. [3 marks]	
	Question 6 continues on the next page	



0 6 . 4

Person ${\bf A}$ and person ${\bf B}$ had a test to measure the concentration of insulin in their blood when they were fasting.

Table 4 shows the results.

Table 4

Person	Fasting blood insulin concentration in arbitrary units
Α	280
В	20
Normal range	50–175

Suggest which type of diabetes person ${\bf A}$ and person ${\bf B}$ have.

Give a reason for	r each answer.
-------------------	----------------

[2 marks]

Person A	[2 marko]
Type of diabetes	
Reason	
Person B	
Type of diabetes	
Reason	



Do not	write
outside	the
L	

0 6.5	Toxic hypoglycaemia syndrome (THS) has caused the deaths of hundreds of starving children in some tropical countries.
	 The starving children have had nothing to eat all day. The starving children then eat many lychee fruits. The lychee fruits contain a molecule which stops an enzyme in the liver working. This enzyme normally converts stored fats into glucose.
	Children who have eaten during the day are not affected by eating many lychee fruits.
	Starving children may die from eating many lychee fruits but children who have eaten during the day are not affected.
	Explain why. [6 marks]

14

END OF QUESTIONS



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material are published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aga.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2019 AQA and its licensors. All rights reserved.





IB/M/Jun19/8464/B/2H

Do not write outside the

box